IFW

ATTORNEY DOCKET NO

017575.0887

PATENT Serial No. 10/715,336

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Edward S. Fry, et al.

Serial No.:

10/715,336

Filed:

November 17, 2003

Confirmation No.:

1706

Title:

Apparatus and Method for Direct Measurement of

Absorption and Scattering Coefficients in SITU

Mail Stop ______ Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail on an envelope addressed to: Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450, on the date shown below.

Elaine Barnes

1/06/2005

Dear Sir:

REQUEST FOR STATUS

Please advise the status of the above-identified patent application. The Filing Receipt was received April 12, 2004. Applicants are currently awaiting a first Office Action.

PATENT Serial No. 10/715,336

ATTORNEY DOCKET NO 017575.0887

REMARKS

Under 37 C.F.R. § 1.702(a)(1), it has been over thirteen months since the filing date of this Application and a Notification under 35 U.S.C. § 132 has not been received. Thus, a period of adjustment of patent term due to examination delay is accruing in accordance with 37 C.F.R. § 1.703(a)(1).

If there are any matters that can be cleared up through a telephone conversation, please contact the undersigned attorney for Applicants at the telephone number listed below.

BAKER BOTTS L.L.P.

Attorneys for Applicants

Bradley P. Williams

Reg. No. 40,227

Date: January 5, 2005

Correspondence Address

Customer Number: 05073